



SPECIFICATIONS



SINGLE CAB STANDARD AND OPTIONAL EQUIPMENT

- Standard
- Not available
- Optional



Models		GL	GL
Engine Detail		2.4L DI-SC	2.4L DI-SC
Туре		2WD	4WD
Transmission Type		Manual	Manual
General			
Transmission Type		5 speed	5 speed
Max. Output:		81kW@4000rpm	81kW@4000rpm
Max. Torque:		200Nm@1000-3750rpm	200Nm@1000-3750rpm
Engine Type:		DOHC Intercooled	DOHC Intercooled
Ground Clearance:		200mm	221mm
Fuel System:		Common Rail Direct Injection	Common Rail Direct Injection
Fuel Tank Capacity:		75L	75L
Drivetrain and Chassis			
2WD			-
Easy Select 4WD		_	-
Super select 4WD-II		_	_
	thout limited slip differential)	_	_
	thout limited slip differential)	_	-
	wishbone with coil spring)	•	•
Rear suspension (Nomal t	ype)	-	-
Rear suspension (Elliptic	leaf spring)	•	
Rear suspension (Heavy d	uty type)	•	
Front ventilated disk bra	ke, 2-pot (diameter: 275mm)	•	-
Front ventilated disk bra	ke, 2-pot (diameter: 290mm)	-	•
Front ventilated disk bra	ke, 2-pot (diameter: 320mm)	-	-
Rear drum brake (10-inch)	•	-
Rear drum brake (11,6-ind	ch)	-	•
Tyre and Wheel	195R15C 8PR 106/104R with 16-inch steel wheels (Silver)	•	-
	205R16C 8PR 110/108R with 16-inch steel wheels (Silver)	-	•
	265/60R18 (All-season tyre with 18-Inch alloy wheels (Silver) Spare: 265/60R18 (All-season) tyre + 18-Inch alloy wheel (Silver)	-	-
Driving Performance			
Drive Mode		-	-
Active Yaw Control [AYC]		-	-
Hill Start Assist [HAS]		•	
Exterior			
Windscreen glass (Laminated glass with UV ray reduction)		-	•
Front bumper	Material black	•	•
	Gloss black	-	-
Front bumper garnish	Chrome	_	_
Front fog light bezel	Chrome	_	-
,, Deze.			

Models		GL	GL
Engine Detail		2.4L DI-SC	2.4L DI-SC
Туре		2WD	4WD
Transmission Type		Manual	Manual
Exterior			
Wiper	Front windscreen - Variable Intermitted wiper (2-speed)	-	=
	Rain-sensing windscreen wiper	-	-
Windscreen washer (No			•
Rear window defogger Side step	Material black	-	-
	Sliver painted	-	-
Side door garnish (Mate	erial black)		•
Outer door handle	Material black		•
	Chrome	-	-
Door mirror	Electrically adjustable Heated Power folding mirror Material black	-	• •
	Chrome	-	-
Rear body guard frame			-
Rear bumper		-	-
Rear spoiler		-	-
Rear gate handle	Bar type		
	Pull-up type	-	-
	Material black	-	-
	Chrome	-	-
Rear gate lock		-	-
Cargo bed	Outer hook x12	-	-
	Inner hook x4	•	
Towing hook (Front)			•
Cockpit			
	lay 3.5-inch colour LCD display		
	7-inch colour LCD display	-	-
Urethane steering whe	el (3-spoke type)		
Leather-wrapped steer	ring wheel (3-spoke type)	-	-
Tilt and telescopic stee	ering wheel	-	-
Gearshift Knob (Leather-wrapped)		-	-
Gearshift lever boot (Synthetic leather with stitch)		-	-
Parking brake lever		•	•
Release switch	Material	_	
2	Chrome	_	_
	Ciliotile	-	

Models		GL	GL
Engine Detail		2.4L DI-SC	2.4L DI-SC
Туре		2WD	4WD
Transmission Type		Manual	Manual
Seat			
Seat material	Vinyl Fabric with stitch	-	-
Driver seat	Leather Manual adjustable seat (Sliding, reclining)		
	Manual adjustable seat (Sliding, reclining, single-height, lever type)	-	-
	Power seat (Sliding, reclining double-height, lumbar support)	-	-
Passenger seat	Manual adjustable seat (Sliding, reclining)	=	•
Seatback pocket with m	ultiple pockets	-	-
Front seat height adjust	able headrest		
Rear centre armrest (with cup holder)		-	-
Interior			
Instrument panel accent	Material back Synthetic leather wrapped without stitch	-	-
Upper glove box	without lid		•
	with lid	-	-
Lower glove box		-	-
Floor console	Material Black Colour-keyed	-	-
Floor console box	with lid	-	-
	with lid (Synthetic leather)	-	-
Cup holder for floor cons	sole x2		
Central door locking sys	tem	-	
Speed sensing automation	c central door lock	-	
Child safety lock		-	-
Remote keyless entry	- Ivosi	-	-
Keyless Operation System	m [KOS]	_	_
Inner door handle	Material black Satin chrome		• •
Front door armrest	Material black		
	Synthetic leather without stitch	-	-
	Synthetic leather with stitch	-	-
Power window switch panel (Material black)		-	•
Driver side door power w (Auto up/down and anti t		-	•
	door power window switch	-	-
Key-off timer fuction		-	•


Models		GL	GL
Engine Detail		2.4L DI-SC	2.4L DI-SC
Туре		2WD	4WD
Transmission Type		Manual	Manual
Interior			
Room light	Front (Bulb) Rear (Bulb)	-	-
Front map light (Bull	b)	-	
Sunglass pocket		-	
Floor carpet	Vinyl Needle punch		-
Sunvisor x2	Vanity mirror with lid and ticket holder (Driver's side)	•	•
	Vanity mirror with lid (Passenger's side)	-	-
Dimming rearview m	irror	-	-
Air Conditioner			
Manual air condition	ing	•	
Automatic air condit	cioning	-	-
Dual-zone automatic	air conditioning	-	-
Rear air circulator		-	-
Safety and Security			
Active Stability and	Traction Control [ASTC]		
Emergency Stop Sign	nal system [ESS]	•	-
Brake override syste	m	•	•
Anti-lock Braking sy	stem [ABS]	•	_
Electronic Brake for	ce Distribution [EBD]	•	Ē
Brake assist system		•	
Parking sensor (Fron	t and rear)	-	-
Cruise Control		-	-
Hill Descent Control	(HDC)	-	-
Immobiliser		•	
Passive safety	SRS airbag (Driver, passenger)	•	
Passive safety	SRS airbag (Driver, passenger, drivers knee)	-	-
	SRS airbag (Driver, passenger, Side (fr), Curtain (Fr and Rr), Knee (driver)	-	-
	Passenger SRS airbag cut-off switch (Manual)	-	-
	Front 3-point seat belt with Emergency Locking Retractor [ELR]	•	-
	Double pretensioner (Driver) and pretensioner (Passenger)	-	-
	Height adjustable front seatbelt anchor	-	-
	Rear seat 3-point seatbelt with ELR	-	-
	ISO-FIX Child restraint seat anchor and tether anchor Rear x2	-	-

Engine Detail 2AL DISC 2AL DISC Type 200 400 Transmission Type Messual Messual Navigation and Audio Smartphane-link Display Audio SDIA (3-dicch WYLA /8 splay) - - AMCPAY radio with Blustrooth* wireless technology - - Smartphane-link Display Audio EDIA (3-dicch WYLA /8 splay) - - Speaker - - 4-Speaker - - 4-Speaker - - 4-Speaker - - 5eecker - - 4-Speaker - - 5teering wheel such control - - 3teering wheel such control - - LEB boadlight (1880/16w) but system with off switch - - LEB boadlight (1880 type on humper - -	Models		GL	GL
Transmission Type	Engine Detail		2.4L DI-SC	2.4L DI-SC
Navigation and Audio Sund (B-inch MVGA display) -	Туре		2WD	4WD
Smartphone-link Display Audio (SUA) (Is-linch WVcA display) -	Transmission Type		Manual	Manual
Mary Privation with Bluetbooth** wireless technology	Navigation and Audio			
Sepaker Para Par	Smartphone-link Display	Audio [SDA] (8-inch WVGA display)	-	-
Speaker 2-Speaker 2-Spe	AM/FM radio with Bluetoo	oth® wireless technology	-	•
A-Speaker			-	-
Steering wheel audio centred -	Speaker	2-Speaker	=	•
Hands-free phone and volce recognition		4-Speaker	-	-
		6-Speaker	-	-
Halogen headlight Halogen headlight (High/low b=m) Auto light system with off switch LED Daytime Running lamps [DRL] Front turn signal (Bulb) Side turn signal Bulb type on bumper LED on door mirror LED on door mirror Position (Clearance) light Bulb LED Front fog light (LED) Stop light LED Stop light Bulb LED Tail light Bulb Bulb Bulb Bulb Bulb Bulb Bulb Bulb	Hands-free phone and voi	ce recognition	-	•
Halogen headlight	Steering wheel audio cont	trol	-	•
LED haddlight (High/low bar)	Lighting and Visibility			
Auto light system with off switch LED Daytime Running lamps [DRL] Front turn signal (Bulb) Side turn signal Bulb type on bumper LED on door mirror Position (Clearance) light LED LED Front fog light (LED) Rear fog light (LED) Stop light Bulb LED - Stop light Bulb LED - LED - Rear turn signal Bulb LED - LED - Rear turn signal Bulb LED - LED - Rear turn signal Bulb LED - LED -	Halogen headlight		•	•
LED Daytime Running lamps CDRL	LED headlight (High/low b	eam)	-	-
Front turn signal (Bulb) Bulb type on bumper	Auto light system with of	f switch	-	-
Side turn signal EUD on door mirror	LED Daytime Running lam	ps [DRL]	-	-
LED on door mirror	Front turn signal (Bulb)		•	
Position (Clearance) light Bulb ED - - - - - - - - -	Side turn signal	Bulb type on bumper	•	•
LED		LED on door mirror	-	-
Front fog light (LED) -	Position (Clearance) light	Bulb	•	•
Rear fog light (LED) - - Stop light Bulb - - LED - - Tail light Bulb - - LED - - Rear turn signal Bulb - - LED - - Back-up light (Bulb) - - License plate light (Bulb) - - LED high-mount stop light - - Welcome light - -		LED	-	-
Stop light Bulb LED Tail light Bulb LED Rear turn signal Bulb LED Back-up light (Bulb) License plate light (Bulb) LED high-mount stop light Welcome light	Front fog light (LED)		-	-
LED	Rear fog light (LED)		-	-
Tail light Bulb -	Stop light	Bulb		•
LED - - - - - - - -		LED	-	-
Rear turn signal Bulb LED Back-up light (Bulb) License plate light (Bulb) LED high-mount stop light Welcome light	Tail light	Bulb	-	•
LED Back-up light (Bulb) License plate light (Bulb) LED high-mount stop light Welcome light		LED	-	-
Back-up light (Bulb) License plate light (Bulb) LED high-mount stop light Welcome light	Rear turn signal	Bulb	-	•
License plate light (Bulb) LED high-mount stop light - Welcome light		LED	-	-
LED high-mount stop light	Back-up light (Bulb)		=	
Welcome light	License plate light (Bulb)		=	
	LED high-mount stop ligh	t	-	
Coming home light	Welcome light		-	-
	Coming home light		-	-

Engine Detail 2.44 Di-sc 2.44 Di-sc Type 2MD 4MD Transmission Type Manual Manual Convenience 12V power outlet Floor console - Instrument panel ■ ■ USB port for charging x2 (Rear console) - - Rearview camera - - Monitor with Moving Object Detection (M00) - - Hands-free phone - ■ Microphone - ■ Wireless charger - - USB charging outlet x2 - ■ Tool set (Simple set, wheelnut wrench) and jack ■ ■ Mass & Dimensions 1625 1795 C.V.M (Kg) 2570 2755 C.C.M (Kg) (if applicable) 4100 Length (mm) 5330 5320 Melght (mm) 1865 1865 Width (mm) 1865 1865 Wheelbase (mm) 3320 3330 Towing capacity - braked (Models	GL	GL
Convenience Hanual Manual 12V power outlet Floor console - Instrument panel ■ ■ USB port for charging x2 (Rear console) - - Rearview camera - - Monitor with Moving Object Detection (MOD) - - Hands-free phone - ■ Microphone - ■ Wireless charger - - USB charging outlet x2 - ■ Tool set (Simple set, wheelnut wrench) and jack ■ ■ Mass & Dimensions 1625 1795 G.V.M (Kg) 2570 2755 G.C.M (Kg) (if applicable) 4100 Length (mm) 5320 5320 Melight (mm) 1700 1765 Width (mm) 1865 1865 Wheelbase (mm) 3130 3150	Engine Detail	2.4L DI-SC	2.4L DI-SC
Convenience 12V power outlet	Туре	2WD	4WD
12V power outlet	Transmission Type	Manual	Manual
USB port for charging x2 (Rear console) Rearview camera - Monitor with Moving Object Detection (MOD) - Hands-free phone - Microphone - Wireless charger - USB charging outlet x2 Tool set (Simple set, wheelnut wrench) and jack Mass & Dimensions Tare/Kerb Weight (kg) G.C.M. (kg) (if applicable) Length (mm) 1700 1705 Width (mm) 1865 Wheelbase (mm) Towing capacity - braked (kg)	Convenience		
USB port for charging x2 (Rear console) Rearview camera	12V power outlet Floor console	-	-
Rearview camera - - Monitor with Moving Object Detection [MOD] - - Hands-free phone - ■ Microphone - ■ Wireless charger - - USB charging outlet x2 - ■ Tool set (Simple set, wheelnut wrench) and jack ■ ■ Mass & Dimensions - ■ Tare/Kerb Weight (Kg) 1625 1795 G.V.M (kg) 2570 2755 G.C.M (kg) (if applicable) 4100 Length (mm) 5320 5320 Height (mm) 1700 1765 Width (mm) 1865 1865 Wheelbase (mm) 3130 3130 Towing capacity - braked (kg) - -	Instrument panel	-	
Monitor with Moving Object Detection [MOD] - - Hands-free phone - ■ Microphone - ■ Wireless charger - - USB charging outlet x2 - ■ Tool set (Simple set, wheelnut wrench) and jack ■ ■ Mass & Dimensions ■ ■ Tare/Kerb Weight (Kg) 1625 1795 G.V.M (Kg) 2570 2755 G.C.M (Kg) (if applicable) 4100 Length (mm) 5320 5320 Height (mm) 1700 1765 Width (mm) 1865 1865 Wheelbase (mm) 3130 3130 Towing capacity - braked (kg) - -	USB port for charging x2 (Rear console)	-	-
Hands-free phone - ■ Microphone - ■ Wireless charger - - USB charging outlet x2 - ■ Tool set (Simple set, wheelnut wrench) and jack ■ ■ Mass & Dimensions ■ ■ Tare/Kerb Weight (Kg) 1625 1795 G.V.M (Kg) 2570 2755 G.C.M (Kg) (if applicable) 4100 Length (mm) 5320 5320 Height (mm) 1700 1765 Width (mm) 1865 1865 Wheelbase (mm) 3130 3130 Towing capacity - braked (kg) Towing capacity - braked (kg) Image: Apple of the capacity - braked (kg)	Rearview camera	-	-
Microphone - ■ Wireless charger - - USB charging outlet x2 - ■ Tool set (Simple set, wheelnut wrench) and jack ■ ■ Mass & Dimensions USB Charging outlet x2 USB Charging outlet x2 Tare/Kerb Weight (Kg) 1625 1795 G.V.M (Kg) 2570 2755 G.C.M (Kg) (if applicable) 4100 Length (mm) 5320 5320 Height (mm) 1700 1765 Width (mm) 1865 1865 Wheelbase (mm) 3130 3130 Towing capacity - braked (kg) - -	Monitor with Moving Object Detection [MOD]	-	-
Wireless charger - - USB charging outlet x2 - ■ Tool set (Simple set, wheelnut wrench) and jack ■ ■ Mass & Dimensions Tare/Kerb Weight (Kg) 1625 1795 G.V.M (Kg) 2570 2755 G.C.M (Kg) (if applicable) 4100 Length (mm) 5320 5320 Height (mm) 1700 1765 Width (mm) 1865 1865 Wheelbase (mm) 3130 3130 Towing capacity - braked (kg) - -	Hands-free phone	-	•
USB charging outlet x2	Microphone	-	•
Mass & Dimensions 1625 1795 G.V.M (Kg) 2570 2755 G.C.M (Kg) (if applicable) 4100 Length (mm) 5320 5320 Height (mm) 1700 1765 Width (mm) 1865 1865 Wheelbase (mm) 3130 3130 Towing capacity - braked (kg) 1700 1700 1700	Wireless charger	-	-
Mass & Dimensions Tare/Kerb Weight (Kg) 1625 1795 G.V.M (Kg) 2570 2755 G.C.M (Kg) (if applicable) 4100 Length (mm) 5320 5320 Height (mm) 1700 1765 Width (mm) 1865 1865 Wheelbase (mm) 3130 3130 Towing capacity - braked (kg) 5120 5120	USB charging outlet x2	-	•
Tare/Kerb Weight (Kg) 1625 1795 G.V.M (Kg) 2570 2755 G.C.M (Kg) (if applicable) 4100 Length (mm) 5320 5320 Height (mm) 1700 1765 Width (mm) 1865 1865 Wheelbase (mm) 3130 3130 Towing capacity - braked (kg) 3130 3130	Tool set (Simple set, wheelnut wrench) and jack	-	•
G.V.M (Kg) 2570 2755 G.C.M (Kg) (if applicable) 4100 Length (mm) 5320 5320 Height (mm) 1700 1765 Width (mm) 1865 1865 Wheelbase (mm) 3130 3130 Towing capacity - braked (kg)	Mass & Dimensions		
G.C.M (Kg) (if applicable) Length (mm) 5320 5320 Height (mm) 1700 1765 Width (mm) 1865 Wheelbase (mm) Towing capacity - braked (kg)	Tare/Kerb Weight (Kg)	1625	1795
Length (mm) 5320 5320 Height (mm) 1700 1765 Width (mm) 1865 1865 Wheelbase (mm) 3130 3130 Towing capacity - braked (kg)	G.V.M (Kg)	2570	2755
Height (mm) 1700 1765 Width (mm) 1865 1865 Wheelbase (mm) 3130 3130 Towing capacity - braked (kg)	G.C.M (Kg) (if applicable)		4100
Width (mm) 1865 1865 Wheelbase (mm) 3130 3130 Towing capacity - braked (kg)	Length (mm)	5320	5320
Wheelbase (mm) 3130 3130 Towing capacity - braked (kg)	Height (mm)	1700	1765
Towing capacity - braked (kg)	Width (mm)	1865	1865
	Wheelbase (mm)	3130	3130
Towing capacity - unbraked (kg)	Towing capacity - braked (kg)		
	Towing capacity - unbraked (kg)		

Note: •ASTC: The control capabilities of Active Stability and Traction Control [ASTC] are supplemental only. Please drive safely and never rely solely on these functions whilst driving. Be sure to use the same specified type and size of tyres on all 4 wheels. Do not instal any aftermarket limited slip differential on your vehicle. •HSA: Hill Start Assist [HSA] is not a substitute for safe driving. Never rely solely on this function whilst driving on steep roads. Your vehicle may move backwards if the brake pedal is heavily loaded, or if the road is very steep or slippery. This function is not designed to keep the vehicle stopped in place on uphill slopes for more than 2 seconds. Do not rely on this function to maintain a stopped position as an alternative to depressing the brake pedal. •HDC: Hill Descent Control [HDC] is not a substitute for safe driving. Never rely solely on this function whilst driving on steep roads. When driving on slippery roads such as muddy, icy, or unpaved roads, your vehicle will not allow you to stay at a certain low speed, which may lead to a serious accident.

Drivers are fully responsible for their own safe driving. Please drive safely and do not rely solely on these systems whilst driving. Please see the owner's manual for additional information. If you have any questions, please consult your local MITSUBISHI MOTORS dealer/distributor for details.



DOUBLE CAB STANDARD AND OPTIONAL EQUIPMENT

- Standard
- Not available
- Optional



Models		GL	GLS	GLS	GLS
Engine Detail		2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Туре		4WD	4WD	2WD	4WD
Transmission Type		Manual	Manual	Auto	Auto
General					
Transmission Type		5 speed	6 speed	6 speed	6 speed
Max. Output:		81kW@ 4000rpm	135kW @3500rpm	135kW @3500rpm	135kW @3500rpm
Max. Torque:		200Nm@1000- 3750rpm	430Nm@2250- 2500rpm	430Nm@2250- 2500rpm	430Nm@2250- 2500rpm
Engine Type:		DOHC Intercooled	DOHC Intercooled Turbo	DOHC Intercooled Turbo	DOHC Intercooled Turbo
Ground Clearance:		221mm	228mm	228mm	228mm
Fuel System:		Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection
Fuel Tank Capacity:		75L	75L	75L	75L
Drivetrain and Chassis					
2WD		-	-	•	-
Easy Select 4WD		•	-	-	-
Super Select 4WD-II		-	•	-	-
Rear differential lock (w	ithout limited slip differential)	-		-	-
Front suspension (Doubl	e wishbone with coil spring)	•		•	-
Rear suspension (Nomal	type)			•	-
Rear suspension (Elliptic	leaf spring)	•		•	-
Rear suspension (Heavy	duty type)	•	-	-	-
	ake, 2-pot (diameter: 290mm)	•	-	-	-
	ake, 2-pot (diameter: 320mm)	-	-	_	-
Rear drum brake (11,6-in	nch)	•	•	■.	•
Tyre and Wheel	205R16C 8PR 110/108R with 16-inch steel wheels (Silver)	•	-	-	-
	265/60R18 (All-season tyre with 18-Inch alloy wheels (Silver) Spare: 265/60R18 (All-season) tyre + 18-Inch alloy wheel (Silver)	-	-	•	•
Driving Performance					
Drive Mode		-	•	-	•
Active Yaw Control [AYC]	1	-	•	-	-
Hill Start Assist [HAS]			-	-	-
Exterior					
Windscreen glass (Laminated glass with UV ray reduction)		•	•	•	
		_	_	_	_
Front bumper	Material black Gloss black	_	_	_	
Front bumper garnish	Chrome	-	•	•	•
Front fog light bezel	Chrome	-	=	•	-
Front grille	Material black	-	-	-	-
, rone grine	Colour-keyed	-	_	_	_
	.,	-			•

Models		GL	GLS	GLS	GLS
ingine Detail		2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Гуре		4WD	4WD	2WD	4WD
Transmission Type		Manual	Manual	Auto	Auto
Exterior					
Wiper	Front windscreen - Variable Intermitted wiper (2-speed)	•	=	•	
	Rain-sensing windscreen wiper	-	_		
Windscreen washer (N			_	_	_
Rear window defogge		_	_	_	_
Side step	Material black	_	_	_	_
Side door garnish (Ma	terial black)	-	-	-	-
Outer door handle	Material black	•	-	-	-
	Chrome	-	-	•	•
Door mirror	Electrically adjustable	•	-		
	Heated Power folding mirror	-	-		
	Material black		-	-	-
	Chrome	-	•	•	
Rear bumper		•	•	•	
Rear spoiler		-	-		
Rear gate handle	Pull-up type	•	-	-	-
	Material black	_	-	-	_
	Chrome	-			_
Rear gate lock			•	•	
Cargo bed	Inner hook x4	_	_	_	_
	e. nook x .	_	_	_	_
Towing hook (Front)		•	•	•	•
Cockpit					
Multi-information dis	play (3.5-inch colour LCD display)	•	-	-	-
	(7-inch colour LCD display)	-	-	•	•
Urethane steering wh	eel (3-spoke type)	•	-	-	-
Leather-wrapped stee	ering wheel (3-spoke type)	-		•	•
Tilt and telescopic ste	ering wheel	-	-		
Gearshift Knob (Leath	er-wrapped)	-	•	•	-
Gearshift lever boot (Synthetic leather with stitch)		-	•		-
Parking brake lever			-		
Release switch	Material		-	-	-
	Chrome	-		•	•
Seat					
Seat material	Vinyl	-	-	-	-
	Fabric with stitch	-	-	-	-
		_	_	_	_
	Leather	-			

Models		GL	GLS	GLS	GLS
Engine Detail		2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Туре		4WD	4WD	2WD	4WD
Transmission Type		Manual	Manual	Auto	Auto
Seat					
Driver seat	Manual adjustable seat (Sliding, reclining) Manual adjustable seat	•	-	-	-
	(Sliding, reclining, single-height, lever type) Power seat (Sliding, reclining	-	-	-	-
	double-height, lumbar support)	-	•		-
Passenger seat	Manual adjustable seat (Sliding, reclining)	•	•	•	•
Seatback pocket with mu	ultiple pockets (Passenger side)	•	-	-	-
Front seat height adjust	able headrest	•	•	•	•
Rear centre armrest (wit	h cup hoder)		•		•
Interior					
Instrument panel accent	Material back Synthetic leather wrapped without stitch	-	-	-	-
Upper glove box	without lid		-	-	-
opper grove box	with lid	-	•		•
Lower glove box		-	-	-	-
Floor console	Material Black	-			-
Floor console box	with lid		-	-	-
	with lid (Synthetic leather)	-			
Cup holder for floor cons	sole x2				
Central door locking syst	tem	_			
Speed sensing automation	c central door lock				
Child safety lock		-	-	-	-
Remote keyless entry					
Keyless Operation System	m [KOS]	-			
Inner door handle	Material black	•	-	-	-
	Satin chrome	-		•	•
Front door armrest	Material black		-	-	-
	Synthetic leather without stitch	-	-	•	-
Power window switch pa	nel (Material black)	-	-	-	-
Driver side door power window switch (Auto up/down and anti trap-fuction) Passenger side and rear door power window switch		•	•	•	•
(Up and down)		_			_
Key-off timer fuction	Front (Dulh)	-	-	-	-
Room light	Front (Bulb)	-	•	_	-
	Rear (Bulb)	-	-	_	-
Front map light (Bulb)		•	•	•	•
Sunglass pocket					

Models		GL	GLS	GLS	GLS
Engine Detail		2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Гуре		4WD	4WD	2WD	4WD
Transmission Type		Manual	Manual	Auto	Auto
nterior					
Floor carpet	Vinyl Needle punch	-	-	- _	-
Sunvisor x2	Vanity mirror with lid and ticket holder (Driver's side) Vanity mirror with lid				
Dimming rearview mi	(Passenger's side) irror	-	-	-	-
Air Conditioner					
Manual air conditioni	ing	•	-	-	-
Automatic air conditi	ioning	-			
Dual-zone automatic	air conditioning	-	•	•	
Rear air circulator		-			
Safety and Security					
Active Stability and T	Traction Control [ASTC]				
Emergency Stop Sign	al system [ESS]	-			
Brake override system		•	•	•	
Anti-lock Braking sys	stem [ABS]	-	•	•	
Electronic Brake forc	e Distribution [EBD]	•		•	
Brake assist system		•	•	•	
Parking sensor (Front	t and rear)	-			•
Cruise Control		-		•	
Hill Descent Control [[HDC]	-	•	-	•
Immobiliser		•	•	•	
Passive safety	SRS airbag (Driver, passenger, drivers knee) SRS airbag (Driver, passenger,	•	-	-	-
	Side (fr), Curtain (Fr and Rr), Knee (driver)	-	•	•	-
	Passenger SRS airbag cut-off switch (Manual)	-	•	-	
	Front 3-point seat belt with Emergency Locking Retractor [ELR]	•	•	•	•
	Double pretensioner (Driver) and pretensioner (Passenger)		•	•	
	Height adjustable front seatbelt anchor	-	•	•	
	Rear seat 3-point seatbelt with ELR				•
	ISO-FIX Child restraint seat anchor and tether anchor Rear x2	•	•	•	•
Navigation and Audi	0				
Smartphone-link Disp (8-inch WVGA display		-	•	•	-
Smartphone-link Dis Navigation system (9	play Audio [SDA]	-	-	-	-
Speaker	2-speaker		-	-	-
	4-speaker	-	-	-	-
	6-speaker	-		•	-

Models		GL	GLS	GLS	GLS
Engine Detail		2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Туре		4WD	4WD	2WD	4WD
Transmission Type		Manual	Manual	Auto	Auto
Navigation and Audio					
Hands-free phone and v	oice recognition	-	-	-	-
Steering wheel audio co	ntrol	•	•	•	•
Lighting and Visibility					
Halogen headlight		-	-	-	-
LED headlight (High/low	beam)	-	-	-	•
Auto light system with o	off switch	-	-	-	•
LED Daytime Running la	mps [DRL]	-	-	•	-
Front turn signal (Bulb)		•	•	•	•
Side turn signal	Bulb type on bumper		-	-	-
	LED on door mirror	-	-	•	•
Position (Clearance) ligh	t Bulb	-	-	-	-
	LED	-		_	_
Front fog light (LED)		_	_	_	_
Rear fog light (LED)		_	-	-	_
			<u>-</u>	-	_ _
Stop light	Bulb LED	•			
	LLD	-	•	•	
Tail light	Bulb	•	-	-	-
	LED	-	•	•	•
Rear turn signal	Bulb	•	•	•	•
	LED	-	-	-	-
Back-up light (Bulb)		•	-	•	•
License plate light (Bulb)	•	•		•
LED high-mount stop lig	ht	•	•	-	•
Welcome light		-	-	-	•
Coming home light		-	-	-	•
Convenience					
12V power outlet	Floor console	-	-	•	-
	Instrument panel	-	-	-	-
USB port for charging x2 (Rear console)		-	-	-	•
Rearview camera		-	-	-	•
Hands-free phone			-	•	•
Microphone				-	-
Wireless charger		-	-	-	
USB charging outlet x2		-	-	-	-
	e set wheelnut wrench	_			
Jack and Tool set (Simple set, wheelnut wrench)					

Models	GL	GLS	GLS	GLS
Engine Detail	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Туре	4WD	4WD	2WD	4WD
Transmission Type	Manual	Manual	Auto	Auto
Mass & Dimensions				
Tare/Kerb Weight (kg)	1865	1965	1865	1965
G.V.M (kg)	2755	3000	2980	3000
G.C.M (kg) (if applicable)	4100	6000	6000	6000
Length (mm)	5320	5320	5320	5320
Height (mm)	1775	1795	1795	1795
Width (mm)	1865	1865	1865	1865
Wheelbase (mm)	3130	3130	3130	3130
Towing capacity - braked (kg)	-	3500	3500	3500
Towing capacity - unbraked (kg)	-	750	750	750

Manufacturer's Warranty: 5 year / Unlimited Mileage.
Road Side Assistance: 5 year Unlimited Mileage.

Service Plan: 5 year / 90 000km. Service Intervals: Every 10 000km / 1 year

Note: •ASTC: The control capabilities of Active Stability and Traction Control [ASTC] are supplemental only. Please drive safely and never rely solely on these functions whilst driving. Be sure to use the same specified type and size of tyres on all 4 wheels. Do not instal any aftermarket limited slip differential on your vehicle. •HSA: Hill Start Assist [HSA] is not a substitute for safe driving. Never rely solely on this function whilst driving on steep roads. Your vehicle may move backwards if the brake pedal is heavily loaded, or if the road is very steep or slippery. This function is not designed to keep the vehicle stopped in place on uphill slopes for more than 2 seconds. Do not rely on this function to maintain a stopped position as an alternative to depressing the brake pedal. •HDC: Hill Descent Control [HDC] is not a substitute for safe driving. Never rely solely on this function whilst driving on steep roads. When driving on slippery roads such as muddy, icy, or unpaved roads, your vehicle will not allow you to stay at a certain low speed, which may lead to a serious accident.

Drivers are fully responsible for their own safe driving. Please drive safely and do not rely solely on these systems whilst driving. Please see the owner's manual for additional information. If you have any questions, please consult your local MITSUBISHI MOTORS dealer/distributor for details.



Models	GLS	GLS
Engine Detail	2.4L DI-DC	2.4L DI-DC
Туре	2WD	4WD
Transmission Type	Auto	Auto
Icons Collection		
EDITION 46 PACKAGE		
Tailgate assist	-	
Tailgate lock	-	
Grill emblem silver	-	
B-pillar foil	-	
Door handle protector (inner)	-	
Side door moulding kit	-	
Side window deflector kit	-	
Under bumper tow bar	-	
Roof rails (black oem)	-	
4x4 super select11 edition 46 side decal set	-	
Dunlop tyres 265/65 R18 AT3G wit	-	
Tyre fitment & balancing	-	
Load bin rubberrizing	-	
Black nudge bar	-	
Raw suspension kit 40mm lift kit - optional extra	-	
Black canopeak canopy, roof rack & kitchen with table	-	
XTREME PACKAGE		
Tailgate assist	0	
Tailgate lock		
Grill emblem black		
B-pillar foil		
Door handle protector (inner pad stick-on)		
Fender arch molding kit		
Side door moulding kit (bolt in door type)		
Side window deflector		
Tonneau cover black		
Sports bar (black)		
Roof rails		
Door handle outer covers (black with lock/unlock prov)		
Head lamp covers		
Daytime running lamp covers		

Models	GLS	GLS
Engine Detail	2.4L DI-DC	2.4L DI-DC
Туре	2WD	4WD
Transmission Type	Auto	Auto
Icons Collection		
XTREME PACKAGE		
Fog lamp covers		
Tail lamp covers		
Mirror covers		
Front bumper chrome covers (clip in bolt style)		
Fuel lid cover		
Xtreme & 4x4 decal combined		
Dunlop AT5 tyres 265/65 R17 - tyres		
Mag wheels - block ET0619317x9		
Wheel spanner		
Load bin rubberrizing		
ATHLETE PACKAGE		
Tailgate assist		
Tailgate lock		
Grill emblem silver		
B-pillar foil		
Door handle protector (inner)		
Fender arch molding kit slimline gloss		
Side window deflector kit		
Securilid - electric roller cover (extra for electric & manual) - optional extra		
Sport bar (black & silver)		
Roof rails		
Door handle outer covers (black)		
Head lamp covers		
Daytime running lamp covers		
Fog lamp covers		
Tail lamp covers		
Mirror covers		
Front bumper chrome covers black off		
Decal athlete		
Dunlop AT5 tyres 265/65 R17 - tyres		
17 Inch black 8.53 mag wheel (Nuts & locating ring)		
T cap mag wheel decal 55mm pack		
Wheel spanner		
Load bin rubberrizing		

